
SUPPORTING INFORMATION FOR CLOSETS

- Closet library and configurations
- Order form and instructions
- QR code links to materials and other information



- 1) CHOOSE YOUR MATERIAL
- **2) CHOOSE YOUR DRAWER TYPES**
- **3) CHOOSE YOUR FINISHES**
- 4) FILL OUT OUR ORDER FORM





1. DOOR SPECIFICATIONS



SLAB DOORS



MATERIALS & COMMON BRANDS

1) MELAMINE GROUP A White Melamine



2) MELAMINE GROUP B *Gray Melamine*

3) MELAMINE GROUP C American Laminates EIR

4) MELAMINE GROUP DSalt Linen

5 PC SHAKER DOORS



MATERIALS & COMMON BRANDS

1) MELAMINE GROUP A White Melamine



2) MELAMINE GROUP B *Gray Melamine*

3) MELAMINE GROUP C American Laminates EIR

4) MELAMINE GROUP D Salt Linen



5 PC SHAKER GLASS DOORS



MATERIALS & COMMON BRANDS

1) MELAMINE GROUP A White Melamine

2) MELAMINE GROUP B *Gray Melamine*

3) MELAMINE GROUP C American Laminates EIR

4) MELAMINE GROUP DSalt Linen

DOORS AVAILABLE ONLY UNDER REQUEST

*Single doors up to 20". Pair of doors available from 20" to 42".

**Doors on the "Hanging Section" will only be compatible with 22" to 24" depths.

***Shaker Style Doors have a minimum width of 8". Any doors 8" or smaller will be changed to slab.

Please contact Cabinets Quick to check any material & sample availability or to place a sample order.

2. CLOSET FINISHES



1. MELAMINE GROUP A - WHITE MELAMINE

*Suggested use for Top, Bottom, Left End, Right End and Middle Panel.

WHITE MELAMINE

2. MELAMINE GROUP B - GRAY MELAMINE

*Suggested use for Top, Bottom, Left End, Right End and Middle Panel.

GRAY MELAMINE

2. CLOSET FINISHES



3. MELAMINE GROUP C - AMERICAN LAMINATES EIR COLLECTION

*Suggested use for Shelves, Doors and Drawers Fronts.





















4. MELAMINE GROUP D - SALT LINEN COLLECTION

*Suggested use for Shelves, Doors and Drawers Fronts.










*Scan the QR CODE and fir out more SALT finishes



b	SINGLE HANGING UNIT	SKU	DIMENSIONS *BEST PRACTICE NOMINAL SIZES OPEN FOR
1 HANGING UNIT	- Bottom Opening is 39 5/8" - There is a 2 3/8" dearence between top of the rod and the bottom of the shelf	C: H - SINGLE - 84	W: from 12" to 42" D: between 14" and 24" *(CQ Default) is 16" H: 84"
I HANGING UNIT	- Bottom Opening is 59 3/4" - There is a 2 3/8" dearence between top of the rod and the bottom of the shelf	C: H - SINGLE - 96	W: from 12" to 42" D: between 14" and 24" *(CQ Default) is 16" H: 96"






	SINGLE TALL HANGING UNIT -Bottom Opening is 39 5/8"	SKU	*BEST PRACTICE NOMINAL SIZES OPEN FOR
1 HANGING UNIT	- There is a 23/8" dearence between top of the rod and the bottom of the shelf	C: H - SINGLE TALL - 84	W: from 12" to 42" D: between 14" and 24" *(CQ Default) is 16" H: 84"
I HANGING UNIT	- Bottom Opening is 59 3/4" - There is a 2 3/8" dearence between top of the rod and the bottom of the shelf	C: H - DOUBLE TALL - 96	W: from 12" to 42" D: between 14" and 24" *(CQ Default) is 16" H: 96"

TRIPLE HANGING UNIT	SKU	DIMENSIONS *BEST PRACTICE NOMINAL SIZES OPEN FOR
- Bottom Opening is 25 1/8" - Middle Opening is 25 5/8" - Top Opening is 25 5/8" - There is a 2 3/8" dearence between top of the rod and the bottom of the shelf	C: H - TRIPLE - 84	W: from 12" to 42" D: between 14" and 24" *(CQ Default) is 16" H: 84"




Ų	3 EQUAL DRAWERS HANGING UNIT	SKU	*BEST PRACTICE NOMINAL SIZES OPEN FOR
3 DRAWERS	- Top Drawer Front Height & 13 3/4" (2x) Bottom Drawers Front Height & 12 1/2" - Top Opening 39 5/8" - There is a 2 3/8" dearence between top of the rod and the bottom of the shelf	C: 3 EQL DWR - 84	W: from 16" to 24" D: between 18" and 24" *(CQ Default) is 18" H: 84"
3 DRAWERS		C: 3 EQL DWR - 96	W: from 16" to 24" D: between 18" and 24" *(CQ Default) is 18" H: 96"





J	1 TOP DRAWER - 3 EQUAL BOTTOM DRW. HANING UNIT	SKU	*BEST PRACTICE NOMINAL SIZES OPEN FOR
4 DRAWERS	- (1x) Top Drawer Front Height is 61/8" - (3x) Bottom Drawers Front Height is 11 1/4" - Top Opening is 39 5/8" - There is a 2 3/8" clearence between top of the rod and the bottom of the shelf	C: 1 TOP - 3 EQL DWR - 84	W: from 16" to 24" D: between 18" and 24" *(CQ Default) is 18" H: 84"
4 DRAWERS		C: 1 TOP - 3 EQL DWR - 96	W:from 16" to 24" D:between 18" and 24" *(CQ Default) is 18" H: 96"






l,	3 EQUAL DRAWERS 2 ADJ. SHELVES	SKU	DIMENSIONS *BEST PRACTICE NOMINAL SIZES OPEN FOR
3 DRAWERS	- Top Drawer Front Height is 13 3/4" - (2x) Bottom Drawers Front Height is 12 1/2"	C: 3 EQL DWR - 2 ADJ - 84	W:from 16" to 24" D:between 18" and 24" *(CQ Default) is 18" H: 84"
3 DRAWERS		C: 3 EQL DWR - 2 ADJ - 96	W:from 16" to 24" D:between 18" and 24" *(CQ Default) is 18" H: 96"

	4 EQUAL DRAWERS 2 ADJ. SHELVES	SKU	*BEST PRACTICE NOMINAL SIZES OPEN FOR
4 DRAWERS	- (4x) Drawer Front Height is 10"	C: 4 EQL DWR - 2 ADJ - 84	W: from 16" to 24" D: between 18" and 24" *(CQ Default) is 18" H: 84"
4 DRAWERS		C: 4 EQL DWR - 2 ADJ - 96	W: from 16" to 24" D: between 18" and 24" *(CQ Default) is 18" H: 96"




В	1 TOP DRAWER - 3 EQUAL OTTOM DRW - 2 ADJ. SHELVES	SKU	DIMENSIONS *BEST PRACTICE NOMINAL SIZES OPEN FOR
4 DRAWERS	- (1x) Top Drawer Front Height is 61/8" - (3x) Bottom Drawers Front Height is 11 1/4"	C: 1 TOP - 3 EQL DWR - 2 ADJ - 84	W: from 16" to 24" D: between 18" and 24" *(CQ Default) is 18" H: 84"
4 DRAWERS		C: 1 TOP - 3 EQL DWR - 2 ADJ - 96	W: from 16" to 24" D: between 18" and 24" *(CQ Default) is 18" H: 96"






B	1 TOP DRAWER - 3 EQUAL OTTOM DRW - SHOE RACK	* PECT DDACTICE NOM	
4 DRAWERS	- (1x) Top Drawer Front Height 6 1/8" - (3x) Bottom Drawers Front Height is 111/4"	C: 1 TOP - 3 EQL DWR - 3 SHOE - 84	W: from 16" to 24" D: between 18" and 24" *(CQ Default) is 18" H: 84"
4 DRAWERS		C: 1 TOP - 3 EQL DWR - 3 SHOE - 96	W: from 16" to 24" D: between 18" and 24" *(CQ Default) is 18" H: 96"






	1 TOP DRAWER - HAMPER	SKU	*BEST PRACTICE NOMINAL SIZES OPEN FOR
1 DRAWER	- Drawer Front Height & 12 1/2" - Hamper Front Height & 27 5/3" - Top Opening is 39 5/8" - There is a 2 3/8" dearence between top of the rod and the bottom of the shelf	C: 1 TOP DWR - HAMPER - 84	W: from 18" to 24" D: between 18" and 24" *(CQ Default) is 18" H: 84"
1 DRAWER		C: 1 TOP DWR - HAMPER - 96	W:from 18" to 24" D:between 18" and 24" *(CQ Default) is 18" H: 96"





	S ADJ. SHELVES - HAMPER	SKU	DIMENSIONS *BEST PRACTICE NOMINAL SIZES OPEN FOR
3 ADJ. SHELVES	- Hamper Front Height & 27 5/8"	C: HAMPER - 3 ADJ - 84	W: from 18" to 24" D: between 18" and 24" *(CQ Default) is 18" H: 84"
3 ADJ. SHELVES		C: HAMPER - 3 ADJ - 96	W: from 18" to 24" D: between 18" and 24". *(CQ Default) is 18" H: 96"





	2 TOP DRAWERS 2 ADJ. SHELVES - HAMPER	SKU	*BEST PRACTICE NOMINAL SIZES OPEN FOR
2 DRAWERS	- (2x) Drowers Front Height & 6 1/8" - Hamper Front Height & 27 5/8"	C; 2 TOP DWR - HAMPER - 2 ADJ - 84	W: from 18" to 24" D: between 18" and 24" *(CQ Default) is 18" H: 84"
2 DRAWERS		C: 2 TOP DWR - HAMPER - 2 ADJ - 96	W: from 18" to 24" D: between 18" and 24" *(CQ Default) is 18" H: 96"



į	ADJUSTABLE SHELVES	SKU	*BEST PRACTICE NOMINA SIZES OPEN FOR		
5 ADJ. SHELVES		C: 5 ADJ - 84	W: from 12" to 42" D: between 10" and 24" *(CQ Default) is 16" H: 84"		
5 ADJ. SHELVES		C: 5 ADJ - 96	W: from 12" to 42" D: between 10" and 24" *(CQ Default) is 16" H: 96"		

	6 ADJUSTABLE SHELVES	SKU	*BEST PRACTICE NOMINAL SIZES OPEN FOR		
6 ADJ. SHELVES		C: 6 ADJ - 84	W: from 12" to 42" D: between 10" and 24" *(CQ Default) is 16" H: 84"		
6 ADJ. SHELVES		C: 6 ADJ - 96	W: from 12" to 42" D: between 10" and 24" *(CQ Default) is 16" H: 96"		



	7 SHOE SHELVES	SKU	*BEST PRACTICE NOMINAL SIZES OPEN FOR
7 SHOE SHELVES		C: 7 SHOE SHELF - 84	W:from 12" to 42" D:between 10" and 24" *(CQ Default) is 16" H: 84"
7 SHOE SHELVES		C: 7 SHOE SHELF - 96	W:from 12" to 42" D:between 10" and 24" *(CQ Default) is 16" H: 96"



WELDED STEEL OVAL WARDROBE TUBE, STEEL	SKU	DIMENSIONS	PRCING
X2 6 (1/4") 46 (1/13/16") (1/4") (1/4") (1/4") (1/4") (1/4") (1/4") (1/4") (1/4") (1/4") (1/4") (1/4") (1/4") (1/4") (1/4")	801.13.309	LENGTH: 92" HEIGHT: 13/16" COLOR: BLACK	\$13.50
X2	801.13.201	LENGTH: 92" HEIGHT: 13/16" COLOR: CHROME	\$11.00

WARDROBE TUBE, TAG SIGNATURE COLLECTION	SKU	DIMENSIONS	PRICING
X1 32mm 1 5 1 1 2 1 4 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1	801.78.712	LENGTH: 96" HEIGHT: 13/4" COLOR: BLACK	\$39.00
300.3044.xxx 300.3036.xxx	801.78.212	LENGTH: 96" HEIGHT: 13/4" COLOR: CHROME	\$27.00



VALET, TAG SYNERGY ELITE COLLECTION	SKU	DIMENSIONS	PRICING
	808.71.501	WIDTH: 12" COLOR: BLACK	\$35.00
	808.71.401	WIDTH: 12" COLOR: CHROME	\$33.00

WARDROBE LIFT, 26 LBS. WEIGHT CAPACITY	SKU	DIMENSIONS	PRICING	
	805.31.201	DIAMETER: Tube is 7/8" HEIGHT: 19 3/8"/9 11/16" FOR INTERNAL CABINET WITDH:21 1/4" - 26"	\$111.00	
	805.31.302	DIAMETER: Tube is 7/8" HEIGHT: 19 3/8"/9 11/16" FOR INTERNAL CABINET WITDH:26" - 35 1/16"	\$107.00	



JEWELRY TRAY	SKC	DIMENSIONS	PRICING
	811.03.301	WIDTH: 23" DEPTH: 14" COLOR: BLACK	\$118.00
	807.77.011	WIDTH: 23" DEPTH: 14" COLOR: GRAY	\$114.00

BELT TRAY	sku	DIMENSIONS	PRICING	
	811.03.513	COLOR: GRAY FELI		
	811.03.530	WIDTH: 23" DEPTH: 14" COLOR: GRAY	\$114.00	



SHELF DIVIDERS	SKU	DIMENSIONS	PRICING
4 (3/16") 33 (1 5/16")	771.80.431	HEIGHT: 5" DEPTH: 12" MATERIAL: ACRYLIC	\$32.00
	771.80.436	HEIGHT: 8" DEPTH: 14" MATERIAL: ACRYLIC	\$30.00







Learn all about TAG Hardware closet collection.

Select the accessory you like to most and contact our order entry department, facilitate the sku of the item and find out pricing and availability.



*Scan the QR CODE and find out more TAG hardware

5. TERMS AND CONDITIONS



PAYMENT. A 50% deposit on all orders, due at the time of acknowledgment of approval. The deposit must be received prior to production. We require that the remaining balance must be paid prior to pick up or shipment. Deposit and/or final payment may be made by: Cash, Check, Cashiers Check, Credit Card. We accept Visa and Master Card. If sending a check or cashiers check, orders may be delayed until funds clear the bank.

Please note, absence of a deposit will delay production and absence of final payment will delay pick up or shipping.

ORDER PROCESSING. Phone orders are not accepted due to the many errors that may arise from miscommunication. Please check your order form carefully for item size, quantity, color, etc. Your order will be processed sent for your acknowledgment, which must be signed and returned.

REVISIONS. Your order or estimate will be entered and then allow first and second customer revision (acknowledgment) for no additional charge. Any additional customer required revisions will require a fee of \$60 per revision cycle. Each time an order or estimate is revised it will be re-acknowledged. Any revision charges will be clearly shown on the latest acknowledgment.

LEAD TIME. Lead time varies depending on the current production schedule. More accurate lead times will be given when order is approved. Every reasonable attempt to ship by projected ship date will be made, but may be affected by special ordered material, non-payment of deposit, numerous revisions to an order, etc.

RUSH ORDER SERVICES. Rush Orders will be available for orders under 50 cabinet. Rush orders may be requested, but availability is not always guaranteed. Rush Order requests may be made for an additional 25%, with the minimum fee being \$500.

CHANGES TO APPROVED ORDERS. Requested revisions after an order is signed and approved by customer are never guaranteed. If the order is already in production, customers will incur a net charge based on time and any materials which may be affected.

SHIPPING AND HANDING. Because of the nature of our custom orders, it is impossible to determine the exact cost for shipping each order until the order is completed. We strive to provide our customers with the safest and most affordable means in all deliveries. Please be advised that delivery is not included in the price of the cabinets and all shipping charges are the responsibility of the customer. Customer should verify that the delivery truck can safely drive on all roads leading up to delivery destination. If inaccessible for any reason deemed necessary by the driver, customer is responsible for picking up their order from the shipping distribution center.

DELIVERY AND INSPECTION. Buyer shall have the right to inspect the goods with in five (5) days of delivery at the shipping address. Please note, after 5 days any order discrepancies are void. No exceptions. All products leave our factory in good condition and properly packaged. All claims for damaged or broken merchandise must be made through carrier. Any damage that is apparent up on delivery must be noted over the freight carrier delivery receipt. If the damage is severe ,we recommend you refuse the shipment entirely. All claims for damaged or broken merchandise must be made through carrier.

INSTALLATION. We do not accept responsibility or liability for installation of any product. We recommend using a professional installer for best results. Cabinets Quick is not responsible for problems arising from improper installation, use or care.

6. WARRANTY



LIMITED LIFETIME WARRANTY

Cabinets Quick here by warrants to the first and original purchaser, for residential applications only, that all cabinets, including system hardware, are free from defects in materials and workmanship for a period of (10) years and all doors and drawer fronts for a period of (1) year. This warranty is expressly limited to repair or replacement of the defective part at the sole discretion of Cabinets Quick and does not include labor for removal or replacement. This warranty does not extend to defects caused by improper handling, storage, installation, assembly or disassembly, intentional damage, product modifications, exposure to the elements including humidity which may result in warping or splitting, accidental misuse, abuse or negligence.

LIFETIME. Cabinets Quick offers a lifetime warranty for all Soft Close Hinges an Drawer Guides. This warranty runs for as long as you own your cabinets and begins upon the date of delivery to you.

Heat & Humidity. Various cooking appliances produce a lot of heat or humidity. It is very important to make sure these products are positioned so rising heat is not trapped or confined. Thermofoil and edge-banding on doors cannot be exposed to temperatures beyond 170 degrees for extended periods of time without risking permanent damage, which are not covered under the warranty.

Sunlight and Aging. Materials may vary in texture, color and wood grain, and exhibit subtle changes as they age. For example, wood joints may eventually have visible cracking around the joint area and cabinet colors may darken or lighten over time. Sunlight, smoke, moisture, household cleaners and other environmental conditions may cause materials to vary from their original color and/or to warp, split or crack. These variations are considered to be the nature of the material in relation to their environmental exposure and are not covered under this warranty.

Cabinets Quick makes no other warranties other than those set forth herein and all other warranties are here by disclaimed. The implied warranties of merchantability and fitness for a particular purpose are limited in duration to the length of the limited warranty period. The limited warranties set forth herein are restricted to the first and original buyer and are not transferable thereafter. In no events hall Cabinets Quick be liable for incidental or consequential damages to the purchaser or to any third party, including, without limitation, damages arising from personal injury, lost profits, loss of business opportunity, loss of property, economic losses, or statutory or exemplary damages, whether from negligence, warranty, strict liability or other wise. Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above limitations and exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. All claims for defective cabinets and accessories must be submitted to Cabinets Quick in writing and must specify the defects present in the cabinets and accessories or repair any defects in the cabinets and accessories or repair any defects in the cabinets and accessories.

7. CARE AND MAINTENANCE



EVERY DAY CARE. It is important to wipe up spills and water marks as they occur. Give special attention to care as around the sink and dishwasher. Avoid draping damp or wet dish towels over the door of a sink base cabinet. Over time, this moisture can cause permanent water damage to the door. A convenient, out-of-the-way sliding towel rack is recommended.

DUSTING. Dust cabinets frequently with a soft lint-free cloth. You can dampen the cloth slightly with water or spray-type dust remover.

SPILLS. Clean spills immediately. Use a clean cloth and mild soap if necessary. Wipe dry with a clean soft cloth.

CLEANING. There are a number of products available for your wood cleaning needs. Many wood cleaning products are available at many stores nation wide including Bed Bath & Beyond, Walmart and Ace Hardware. A more economical way to remove grease build up over cabinets is to use Fantastik. Apply and remove quickly, then wash your cabinets with a mild soap. After washing, dry thoroughly.

DON'T. Never use detergents, soap pads or steel wool on your cabinetry. These harsh abrasives will mar the wood finish. Additionally, we recommend that you avoid the use of paste wax and polishes that contain silicone; the wax build up is difficult to remove and will leave a residue that attracts dust.

ACRYLIC. Never use Acetone or Ammonia-based product son Acrylic Panels. Wipe with scratch resistant microfiber clothes with mild detergents ONLY. In the event that your surfaces gets crotched, you may purchase one of our scratch kits.



CLOSET ORDER FORM

FREE QUOTE REQUEST

* MUST BE NOTED OR MAY CAUSE DELAY TO QUOTE

* PROJECT NAME:		* CONTACT NAME:		* QUOTE D	UE DATE:	
* COMPANY NAME:		* PHONE:	E	MAIL:		
* CONTACT ADDRESS:			* PROJECT STATUS:	☐ GENERAL BIDDING	☐ PROJECT IN PROGRESS	
DISCLOSURE: All quotes and drawings are Cabinet quote a deposit will be required. CQ defaults are des CQ defaults. For upgrades or any additional instruction	igned to give you a o	configuration that will serve we	ell for most applications. The Rest of options			
BY SELECTING THIS OPTION CABIN ONLY DOOR MATERIALS WILL NEED			L CONSTRUCTION STANDARDS <i>(C</i>	Q DEFAULT)		
A) CASE MATERIAL	C) PROVIDE DRAW	ERS				
Please select the finish material from bellow:	ice value	☐YES (CQ DEFAULT) If YES please select from ☐ SLAB DOORS	☐ 5 PIECE SHAKER DOORS	☐YES (CQ DEFAULT) ☐ NO If YES please select from the followings: ☐ - 1/2" Birch Imp Assembled Dovetail Construction		
☐ Melamine GROUP B (Fog Gray or Storm Gray Me	elamine) -> \$	SLAB GLASS DOORS 5 PIECE SHAKER GLASS DOORS Please select the finish material from bellow: Melamine GROUP A (White Melamine) -> Best price value		(CQ DEFAULT) □ - HAFELE Matrix Slim Metal Box *Drawers requiere onsite assembly		
☐ Melamine GROUP C (American Laminates EIR) →	> \$\$	☐ Melamine GROUP B (Fog Gray or Storm Gray Melamine) -> \$ ☐ Melamine GROUP C (American Laminates EIR) -> \$\$				
☐ Melamine GROUP D (Salt Linen Collection) -> \$:	\$\$	☐ Melamine GROUP D (Salt Linen Collection) -> \$\$\$			
E) GLASS SHELF	F) OTHER FEA	TURES	G) CLOSET ACCESSORIES			
UPGRADE TO GLASS SHELF: YES NO	DELIVER THE PROJECT □ YES □ NO (WILL CALL - CQ DEFAULT)		SKU		QTY	
If YES please select from the followings:	is weighed.	be determined after finished job				
- GLASS TYPE: ☐ Clear: recommended for lighting clothes and display items ☐ Smoked ☐ Bronze: recommended for lighting under shelves and general lighting. - ALUMINUM FRAME:	the project gets app	ding shipping) □ NO port will be fully refunded once roved on about the LED GLASS shelf				
☐ Clear Aluminum ☐ Black Aluminum	() ()					



				Co	mpany N	ame	Project	Name or Number	Room Name or Number
Cathrest Guide CLOSET	Charling	witch lie	Sedit Sedit	excluding door	oderet nit	de to the second	dior.	ADD ADD	MAKE COMMENTS ITIONAL INSTRUCTIONS (Glass Shelfs, Shoe Shelfs, Hampersetc)